(to be used for all correspondence after initial filing)

Typed or printed name

Inna Golovach

1742 TAW

PTO/SB/21 (09-04)

Date June 8, 2006

Inder the Paperwork Reduction Act of 1995, no person	U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE ns are required to respond to a collection of information unless it displays a valid OMB control number.			
THE RECEIVE A PROPERTY OF THE	Application Number	10/540,362		
TRANSMITTAL	Filing Date	June 23, 2005		
FORM	First Named Inventor	Viatcheslav Dmitrievich Shapovalov		
	Art Unit	1742		
	Examiner Name	Not yet assigned		

Total N	Number of Pages in This Submission		Attorney Docket Number	er 0065.0	0001US1		
ENCLOSURES (Check all that apply)							
. [Fee Transmittal Form Fee Attached Amendment/Reply After Final Affidavits/declaration(s) Extension of Time Request Express Abandonment Request Information Disclosure Statement		Drawing(s) Licensing-related Papers Petition Petition to Convert to a Provisional Application Power of Attorney, Revoca Change of Correspondence Terminal Disclaimer Request for Refund CD, Number of CD(s) Landscape Table on	æ Address	After Allowance Communication to TC Appeal Communication to Board of Appeals and Interferences Appeal Communication to TC (Appeal Notice, Brief, Reply Brief) Proprietary Information Status Letter Other Enclosure(s) (please Identify below): Return receipt postcard		
Certified Copy of Priority Document(s) Reply to Missing Parts/ Incomplete Application Reply to Missing Parts under 37 CFR 1.52 or 1.53							
<u> </u>		ATURE C	OF APPLICANT, AT	FORNEY,	OR AGENT		
Firm Nam	Houston Eliseeva L						
Signature	Mary	2/1	len				
Printed na	Maria M. Eliseeva						
Date	June 8, 2006			Reg. No.	43,328		
CERTIFICATE OF TRANSMISSION/MAILING I hereby certify that this correspondence is being facsimile transmitted to the USPTO or deposited with the United States Postal Service with sufficient postage as first class mail in an envelope addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450 on the date shown below:							
Signature		no 1	Golovach				
	1				1		

This collection of information is required by 37 CFR 1.5. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.11 and 1.14. This collection is estimated to 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

BEST AVAILABLE COPY

ФЕДЕРАЛЬНАЯ СЛУЖБА ПО ИНТЕЛЛЕКТУАЛЬНОЙ СОБСТВЕННОСТИ, ПАТЕНТАМ И ТОВАРНЫМ ЗНАКАМ

ФЕДЕРАЛЬНЫЙ ИНСТИТУТ ПРОМЫШЛЕННОЙ СОБСТВЕННОСТИ

Бережковская наб., 30, корп. 1, Москва, Г-59, ГСП-5, 123995 Телефон 240 60 15. Телекс 114818 ПДЧ. Факс 243 33 37

HaIII № 20/12-490

«27» июня 2005 г.

СПРАВКА

Федеральный институт промышленной собственности (далее - Институт) настоящим удостоверяет, что приложенные материалы являются точным воспроизведением первоначального заявления, описания, формулы, реферата и чертежей (если имеются) международной заявки № РСТ/RU03/00131, поданной в Институт как в Получающее ведомство в соответствии с Договором о патентной кооперации в апреле месяце 2 дня 2003 года (02.04.2003).

CERTIFIED COPY OF PRIORITY DOCUMENT

Заведующий отделом 20

А.Л.Журавлев

Копия для получающего ведомства

PCT

ЗАЯВЛЕНИЕ

Нижеподписавшиеся просят рассматривать настоящую международную заявку в соответствии с Договором о патентной кооперации.

	Заполняется получающим веломством
	PCT/RU03/00131
Междунар	одная заявка №:
.02	апреля 2003 (02.04.2003)
Дата межд	дународной подачи
	RO/RU
Название	МЕЖЛУНАРОДНАЯ ЗАЯВКА РСТ
штамп "В	GIJATERNATIONAL APPLICATION

	штамп "МСТуцьпленнатромац APPLICATION
	№ дела заявителя или агента (по желанию) (не более 12 знаков)
Графа I название изобретения СПОСО БЛАГОРОДНЫХ МЕТАЛЛОВ ИЗ УПОРНОГО	ОБ ИЗВЛЕЧЕНИЯ ЦВЕТНЫХ, РЕДКИХ И О МИНЕРАЛЬНОГО СЫРЬЯ
Графа II ЗАЯВИТЕЛЬ	
Имя и адрес: (Фамилия указывается перед именем; для юридиче наименование. Адрес должен включать почтовый индекс и назвалместожительства внизу не будет указано, то таковым будет соданной графе адреса.)	ние страны. Если государство Также изобретателем
ШАПОВАЛОВ Вячеслав Дмитриевич	Телефон №
Россия, 143300, Московская область, г.	Наро-Фоминск, ул. (7-095)-776-13-55
Шибанкова, д. 27, кв. 37	Телефакс №
SHAPOVALOV Viatcheslav Dmitrievich	Телекс №
RU, 143300, Moscow reg., Naro-Fominsk, ul.Shib	ankova, d. 27, kv. 37
Государство (т.е. страна) гражданства: RU	Государство <i>(т.е. страна)</i> местожительства: RU
Данное лицо является всех указанных всех указанных заявителем для: государств дарств, кооме С	
Графа III — ДРУГИЕ ЗАЯВИТЕЛИ И/ИЛИ (ДРУГИЕ) ИЗОБРЕ	ТАТЕЛИ
Имя и адрес: (Фамилия указывается перед именем; для юридиче наименование. Адрес должен включать почтовый индекс и назвая местожительства внизу не будет указано, то таковым будет суданной графе адреса.) ФОКИН Константин Сергеевич Россия, 121069, Москва, ул. Поварская, д. 22 FOKIN Konstantin Sergeevich RU, 121069, Moscow, ul. Povarskaya, d. 22, kv	только заявителем Х заявителем и И заявителем и
Государство <i>(т.е. страна)</i> гражданства: RU	Государство (т.е. страна) местожительства: RU
Данное лицо является всех указанных заявителем для: всех указанных государств дарств, кроме СІ Другие заявители и/или (другие) изобретатели названы на лист	ША США дополнительной графе
Графа IV АГЕНТ ИЛИ ОБЩИЙ ПРЕДСТАВИТЕЛЬ; ИЛИ АД	РЕС ДЛЯ ПЕРЕПИСКИ
Лицо, указанное ниже, настоящим назначается (назначено) представлят теля (заявителей) в компетентных международных органах в качестве:	гь заяви- Общего представителя
Имя и адрес: (Фамилия указывается перед именем: для юридического л. наименование. Адрес должен включать почтовый индекс и название ст	
ДАНИЛИНА Елена Александровна	(7-095)-767-32-73
Россия, 142190, Московская область, г.Троиц	телефакс № 77 2003
DANILINA Elena Alexandrovna	(7.095)-777-5353, ad. 9723
RU, 142190, Moscow reg., Troitsk-2, P. O. Box	Teners No + GUICIL
Пометить эту клетку, если агент или общий представитель не	назначаются, а вместо этого выше указывается
специальный адрес для переписки.	

Бланк PCT/RO/101 (первый лист) (январь 1997)

См. Пояснения к бланку заявления

	ДРУГИЕ ЗАЯІ	вители и	/ИЛИ (ДРУГИ	Е) ИЗОБРЕТАТЕ	ЕЛИ	
. Ес	ли ни одна из сле	едующих по	одграф не испол	ъзуется, этот ли	ст не включаетс	я в заявление
Имя и адрес: (Фамилия наименование. Адрес дол. местожительства внизу г графе адреса.) ШОХИН Алексат Pоссия, 103009, М.	жен включать п не будет указано, ндр Николає	почтовый и то таковы ЗВИЧ	индекс и назван м будет считат	ие страны. Еслі іься страна указаі	и государство	Данное лицо является: только заявителем заявителем и изобретателем только изобретателем (если помечено здесь, то не
SHOKHIN Aleksa RU, 103009, Moso		7LA	ner d 17 k	v 29		требуется заполнять ниже
Государство (т.е. страна)		RU	Jer. d. 17, K	1	е, страна) местох	кительства: RU
Данное лицо является заявителем для: Имя и адрес: (Фамилия наименование. Адрес дол. местожительства внизу н графе адреса.)	жен включать п	ред именем почтовый и	індекс и назван	ША ского лица - пол ие страны. Если	и государство	государств, указанных в дополнительной графе Данное лицо является: только заявителем заявителем и изобретателем только изобретателем (если помечено здесь, то не требуется заполнять ниже)
Государство (т.е. страна)	гражданства:	Br] 44		Государство (т.е	г. страна) местох	кительства:
Данное лицо является заявителем для:	всех указанных государств	1 1	всех указанных дарств, кроме С		только США	государств, указанных в дополнительной графе
Имя и адрес: (Фамилия ука наименование. Адрес долж местожительства внизу н графе адреса.)	сен включать почт	повый индек	кс и название ст	раны. Если госуда	арство	Данное лицо является: только заявителем заявителем и изобретателем
						только изобретателем (если помечено здесь, то не требуется заполнять ниже)
						(если помечено здесь, то не
Государство (т.е. страна)	гражданства: []	RU]"		Государство (т.е	г. страна) местох	(если помечено здесь, то не требуется заполнять ниже)
Государство (т.е. страна) Данное лицо является заявителем для: Имя и адрес: (Фамилия ука наименование. Адрес долж местожительства внизу н графе адреса.)	всех указанных государств изывается перед исен включать почт	х именем; для и повый индек	кс и название ст	госу- ША ица - полное устав раны. Если госуда	только США вное прство	(если помечено здесь, то не требуется заполнять ниже)
Данное лицо является заявителем для: Имя и адрес: (Фамилия ука наименование. Адрес долж местожительства внизу н	всех указанных государств изывается перед и сен включать почти в будет указано, и	х именем; для и повый индек	дарств, кроме С юридического ли кс и название ст	госу- ША ица - полное устав раны. Если госуда ься страна указаі	только США вное прство	(если помечено здесь, то не требуется заполнять ниже) кительства: государств, указанных в дополнительной графе Данное лицо является: только заявителем заявителем и изобретателем только изобретателем (если помечено здесь, то не требуется заполнять ниже)

Графа V УКАЗАНИЕ ГОСУДАРСТЕ	Пометьте нужные боксы ниже, долж	сен быть отмечен как минимум один бокс							
Настоящим делаются следующие указан	ия в соответствии с правилом 4.9(а):								
		•							
Региональный патент АР Патент ARIPO: GH Гана, GM Гамбия, KE Кения, LS Лесото, MW Малави, MZ Мозамбик, SD Судан, SL Сьерра- Леоне, SZ Свазиленд, TZ Объединенная Республика Танзания, UG Уганда, ZH Замбия, ZW Зимбабве, а также любое другое государство, являющееся Договаривающимся государством Протокола Хараре и РСТ(если испрашивается иной вид охраны или статус, написать на пунктирной линии):									
MD Республика Молдова, RU Ро другое государство, являющееся	EA Евразийский патент: АМ Армения, АZ Азербайджан, ВҮ Беларусь, КG Кыргызстан, КZ Казахстан, МD Республика Молдова, RU Российская Федерация, ТЈ Таджикистан, ТМ Туркменистан, а также любое другое государство, являющееся Договаривающимся государством Евразийской патентной конвенции и РСТ								
СZ Чешская республика, DE Герг GB Великобритания, GR Греция, PT Португалия, SE Швеция, SI	ия, ВЕ Бельгия, ВС Болгария, СН и LI Шиния, DК Дания, ЕЕ Эстония, ES Испан IE Ирландия, IT Италия, LU Люксембург Словения, SK Словакия, TR Турция, а тосударством Европейской патентной кон	ия, FI Финляндия, FR Франция, г, MC Монако, NL Нидерланды, также любое другое государство,							
д'Ивуар, СМ Камерун, GA Габон MR Мавритания, NE Нигер, SN С членом ОАРІ и Договаривающим		GW Гвинея-Бисау, ML Мали, пругое государство, являющееся пся иной вид охраны или статус, написать							
	⊠ GM Гамбия	ОМ Оман							
Эмираты	№ HR Хорватия	РН Филиппины							
	И НU Венгрия	№ PL Польша№ PT Португалия							
АL АлбанияАМ Армения	☑ ID Индонезия☑ IL Израиль	РТ Португалия RO Румыния							
▼ АТ Австрия	М IN Индия	RU Российская Федерация							
	IS Исландия	57							
В АZ Азербайджан	⊠ јр Япония								
ВВ Барбадос		SE Швеция							
ВВ Вароадос ВВ Бароадос	КС КыргызстанКР Корейская народно-демокра-	SG Сингапур							
В В Бразилия	тическая республика	SK Словакия							
ВУ Беларусь		M =							
В В В Белиз		IJ IAAMKUCIAH							
 СА Канада СН and LI Швейцария и Лихтенштейн 		 ТМ Туркменистан ТN Тунис 							
 СН and LI Швейцария и Лихтенштейн СN Китай 		⊠ тк турция							
В СО Колумбия	LS Лесото	▼ ТТ Тринидад и Тобаго							
	🗵 LT Литва	Т Танзания							
	LU Люксембург	☑ UA Украина							
	№ LV Латвия	№ UG Уганда№ US Соединенные Штаты Америки							
 В DE Германия В DK Дания 	МА Марокко МD Республика Молдова	оз Соединенные штаты Америки							
В DK Дания DM Доминика	МБ Республика Молдова МВ Республика МОЛДОВА	☑ UZ Узбекистан							
В DZ Алжир	МК Бывшая Югославская респуб-	▼ VC Сент-Винсент и Гренадин							
ЕС Эквадор	лика Македония	VN Bьетнам							
⊠ ЕЕ Эстония	М МОНГОЛИЯ М МАПАВИ	 ☑ YU Югославия							
区 ES Испания区 FI Финляндия	М Малави М Малави М М Мексика								
В GB Великобритания	М м мозамбик								
В GD Гренада	NO Норвегия NZ. Новая Зепанлия	1							
☑ GE Грузия	№ NZ Новая Зеландия	· ·							
В СН Гана		,**							
Боксы, зарезервированные для указания госу	ларств. которые стали участниками РСТ	после выпуска данного листа							
Dokesi, Supeseparaposamase 200 y kine in the second									
Упоминание о предварительных указаниях: В дополнение к указаниям, сделанным выше, заявитель, в соответствии с правилом 4.9(b), делает также все указания, допустимые в соответствии с РСТ, за исключением указания (указаний), приведенного в Дополнительной графе в качестве исключенных из данного упоминания, и заявляет, что эти дополнительные указания подлежат подтверждению, и что любое указание, не подтвержденное до истечения 15 месяцев с даты приоритета, должно считаться изъятым заявителем на момент истечения этого срока. (Подтверждение(включая оплату пошлины) должно									
должно считаться изъятым заявителем на м быть представлено в получающее ведомств	номент истечения этого срока. (1100твер: Во в пределах 15-месячного срока)	жоение(выночил опниту пошнины) оолжно							

Лист № . д

		JINCT Nº . 4			
Графа VI ЗАЯВЛЕНИЕ НА ПРИО	РИТЕТ			педующие притязаниведены в дополны	
Настоящим испрашивается приоритет	следующей(их	предшествующе		иведены в дополни	пельной графс
Страна (в которую или в отношении которой была подана заявка)	Дата п (день/ме		Номер за	зявки	Ведомство подачи (только для региональных и международных заявок)
(1)					
(2)					
(3)					
Пометить следующую клетку, если зак ной заявки является Получающим в Прошу Получающее ведомств бюро заверенные копии заяво	едомством (пра о направить М к, указанных в	и условии уплаты еждународному ыше под N	заявки выдается вед установленной пошл	омством, которое ины):	для настоящей международ-
Графа VII МЕЖДУНАРОДНЫЙ	поисковы	и орган			
Выбор Международного поискового (Если компетентными в проведении м	леждународног			<u>.</u>	ISA/ EP
народных поисковых органа, назвать Предшествующий поиск Заполняет народного типа или иной) и его прося поиска. Просьба идентифицировать Страна (или региональное ведомство) Графа VIII КОНТРОЛЬНЫЙ ПЕ	ся, если у Меж т по возможно поиск либо с :	дународного поис ости основывать сылкой на соотв Дат	кового органа уже заг международный поис	рашивался поиск (к на результатах ј (или ее перевод), ј	ранее проведенного
Настоящая международная заявка со	держит	К настоящей меж	дународной заявке при	ложены следующи	е документы:
следующее количество листов:		1. отдельная і	подписанная	5. лист расч	ета пошлин
 заявление : 4 листо описание : 12 листо 		доверенн	ость		
3. формула : 1 листо	1 .	2. копия обще	ей	6. информа	ция о депонировании
4. реферат : 1 <u>и</u> листо	В	доверенн	ости	. мик	роорганизмов R
 чертежи : [7] 0 листо 	В	•	я по поводу - ня подписи		последовательностей еотидов/аминокислот
Всего: 18 лист	ов .	the state of the s	ый(е) документ(ы)	8. прочес (у	THEYOTO
Фигура № чертежей (если г	имеются) предл	агается для публі	кации с рефератом.		-
Графа IX ПОДПИСЬ ЗАЯВИТ	ГЛА ИЛИ АГ	ЕНТА	`		
Рядом с подписью назвать фамилию ко данных, приведенных в заявлении.	аждого подпис	авшего и указать,	в каком качестве он г	одписал заявление	, если это не очевидно из
В.Д.Шаповал ДСССУ	ЮВ	K.C.	Фокин		Mofuls-
		J.		A	
		ваполняется получ	ающим ведомством		
1. Дата фактического получения пред- полагаемой международной заявки:	02	апреля 2	003 (02.04.	.2003)	2. Чертежи:
3. Исправленная дата при более поздн получении страниц или чертежей, доу предполагаемую международную заяв	комплектовыва				получены
4. Дата своевременного получения тре согласно статье 11(2) РСТ:	буемых исправ				не получены
Международный поисковый орган, выбранный заявителем:	ISA/ E	p 6.	Направление копии жано до уплаты поц		
		Заполняется Меж	дународным бюро		
Дата получения регистрационного экземпляра Международным бюро:					
опоститери темаду пародивым оторо.					

METHOD FOR RECOVERY OF NONFERROUS, RARE AND PRECIOUS METALS FROM ROBUST MINERALS

The method is referred to hydrometallurgy process and it serves for recovery of nonferrous, rare and precious metals from robust (hard to process) minerals, which may contain natural carbon or other robust compounds.

Very frequently the well-known techniques for recovery of nonferrous, rare and precious metals from robust minerals containing carbonaceous component or other robust compounds, do not provide satisfactory performance.

First of all it stems from high resistance to oxidation and high sorption activity of carbonaceous component of the minerals involving great loss of nonferrous, rare and precious metals with solid residue of processing.

In the framework of the present method ores and concentrates containing organometallic, cluster, colloid and other chemical and composite compounds, hindering the process of useful components recovery, should be classified among technologically robust minerals.

Hence, during cyanidation of robust carbonaceous ores and concentrates, for instance, no traces of precious metals are detected in solution in some cases, i.e. precious metal complexes formed as a result of interaction with cyanide are completely adsorbed by carbonaceous component in the mineral. Cyanidation in the presence of ion-exchange resins and carbons, as well as using sorption passivators like kerosene or apolar liquids, somewhat improves the recovery of precious metals but not infrequently its processing characteristics are as low.

Methods for carbonaceous ore leaching are described in the book "Precious Metals Metallurgy" by Maslenitsky et al. published in Moscow in 1987, pages 288-291 as follows: "... in some ores carbonaceous substances feature different settling capability, which complicates largely the cyanidation process. ... During cyanidation of carbonaceous ores kinetics of precious metal transfer to solution is determined by the ratio of two opposite processes, i.e. dissolution and sorption. ...Certain rate of leaching ... promotes maximum extraction ... in the course of carbonaceous ores cyanidation. The rate of sorption depends also on carbonaceous substance surface area. Optimal degree of material grinding should be maintained. Thus, one of the methods of carbonaceous ore direct cyanidation consists in arrangement of usual cyanide process, observing the optimal degree of grinding and period of contact between the ore and cyanic solution. Another method... consists in arrangement of leaching in several successive stages with solution renewal at each stage. Adsorption capacity of carbonaceous substances may be somewhat decreased by preliminary treatment of ore using flotation oils, kerosene, bituminous coal sublimation products and some other reagents.... However, the efficiency of the method is not very high. ... Cyanidation of carbonaceous ores using water-soluble organic nitriles, their actual applications not being ultimately ascertained, is of interest. Sorption leaching proved the most efficient method for cyanidation of carbonaceous ores and concentrates ".

Attempts to reduce sorption activity of carbon-containing raw materials by thermal treatment in vacuum (for removing unsaturated oxides from carbon) failed to be widely used due to problems in hardware implementation, high costs of the process and low process performance.

In monograph "Solvents for Gold and Silver in Hydrometallurgy" by Mineev G.G. and Panchenko A.F. published by "Metallurgiya" (Metallurgy) Publishing House in 1994 in Moscow some problems arising from application of the known methods of leaching are mentioned in pages 192-205: "Bacterial leaching involves problems of intracellular metal accumulation, low performance of subsequent sorption leaching, build-up of biomass on the equipment". Leaching

by heterotrophic microorganism metabolism products and amino acid solutions yielded rather low results in reference to recovery into solution. Filtration leaching of gold-containing source materials necessitates recycling of productive solutions. That is why the latter shall be processed in situ, while methods of gold recovery from solutions shall feature high efficiency, simplicity of hardware implementation and no pollution of gold-free filters by other components. Hence, sorption biochemical leaching was chosen as the basic method for gold recovery from ores.

Passivation of carbon sorption activity using bacteria active life products (bacterial leaching) necessitates special fermenters for growing bacteria, fine grinding of the material, strict observance of temperature and chemical conditions, long duration of the process. In some cases, when there are great amounts of As and Sb, for instance, bacterial leaching proved impossible due to bacteria poisoning with heavy metals. Bearing in mind the above-mentioned, bacterial leaching has not been used extensively for processing robust carbonaceous minerals.

Chlorination method of precious metal recovery from ores, consisting in ore treatment by aqueous solution of hypochlorite, iron ions and acid at elevated temperature, is its immediate analog (prior art), solving the problem of precious metal recovery from robust minerals, which is described in US Patent No. 4439235 of 14.06.1982, Int.Cl.³: C22D 3\00, U.S. Cl.: 75\101 R. After filtration the solid residue is treated repeatedly by hypochlorite and iron-ion aqueous solutions at pH=7. Compounds of precious metals are extracted from liquid phase.

The prior art mentioned and the stated technical approach have the following in common: treatment of robust carbon-containing mineral with oxygen-containing oxidant and subsequent extraction of precious metal compounds from liquid phase.

Great consumption of hypochlorite for mineral oxidation, explained by the fact that hypochlorite decomposition, especially at elevated temperature, proceeds according to chlorates and chlorides formation mechanism, can be mentioned

among drawbacks of the method described. Meanwhile, hypochlorite and its disproportionation products do not take part in oxidation of precious metals and their transfer to solution:

$2NaClO + NaClO = NaClO_3 + 2 NaCl$

High oxidizing activity of hypochlorites combined with their thermodynamic instability results in a very rapid decrease in effective oxidant concentration in the slurry, giving rise to high cost of processing and insufficient degree of precious metal recovery from minerals.

This invention is aimed at increasing the recovery of nonferrous, rare and precious metals from robust minerals with simultaneous reduction of processing costs.

The objective is attained, as the method for recovery of nonferrous, rare and precious metals from robust minerals envisages the processing of robust carbon-containing minerals by oxygen-containing oxidant with subsequent extraction of precious metal compounds from liquid phase, moreover, the treatment of robust carbon-containing minerals by oxygen-containing oxidant is performed in the presence of reducing agents featuring donor-acceptor properties, which are manifested in the fact that at the first stage of chemical reactions the reducing agents give their electrons to oxygen-containing oxidant and, as a result, form a stronger oxidant than the initial one, in the from of short-lived radicals and intermediate oxidation products of donor-acceptor reducing agents, which are oxidants, as well.

According to the method proposed, the treatment of robust carboncontaining minerals by oxygen-containing oxidant is realized in the presence of reducing agents featuring donor-acceptor properties. Donor-acceptor properties of the reducing agents used are pronounced in the fact that at the first stage of chemical reactions the reducing agents give their electrons to oxygen-containing oxidant and as a result form a stronger than initial oxidant, in the form of shortlived radicals and intermediate oxidation products of donor-acceptor reducing agents, which are mild and selective oxidants.

Technically, the essence of the invention proceeds from specific features of using oxygen-containing compounds as oxidants for robust minerals.

Introduction of the donor-acceptor reducing agents into hydrometallurgical process permits:

- first, directing the decomposition of oxygen-containing oxidants in line with the most favorable mechanism for oxidation of nonferrous, rare and precious metals;
- second, prolonging the action of oxidants by mediating their oxidizing potential via the reducing agents oxidation products, which are milder and more selective oxidizing agents;
- third, making use of complexing capability of the reducing agents for overcoming kinetic and electrochemical difficulties in dissolving nonferrous, rare and precious metals and stabilizing the dissolved precious metals in liquid phase;
- fourth, transforming the intermediate compounds formed as a result of oxygencontaining oxidant disproportionation into short-lived "fast radicals", permitting oxidation of organometallic, cluster, colloid and other chemical and composite compounds, which increases essentially the utilization factor of robust minerals.

Existence of the above-mentioned mechanisms of chemical interactions is confirmed by the following theoretical and experimental data:

1) In solutions of oxygen-containing oxidants without donor-acceptor reducing agents the decomposition of oxidants proceeds by the following reactions:

$$Cl_2 + H_2O = HCl + HClO$$

 $2HClO = 2 HCl + O_2$
 $MeClO + 2 HClO = MeClO_3 + 2 HCl$
 $H_2S_2O_8 + H_2O = H_2SO_5 + H_2SO_4$
 $H_2SO_5 + H_2O = H_2SO_4 + H_2O_2$
 $H_2SO_5 + H_2O_2 = H_2SO_4 + O_2 + H_2O_3$

It follows from the reactions presented that as a result of decomposition of oxygen-containing oxidants, not involving donor-acceptor reducing agents, the decomposition and disproportionation products are accumulated in solution along with evolution of gaseous oxygen, which are not effective oxidants under normal conditions. Accordingly, it gives rise to high consumption of oxidants and low performance of recovery process.

2) In the presence of donor-acceptor reducing agents the oxidation potential of oxygen-containing compounds is actually entirely used for the formation of short-lived radicals and reducing agent oxidation products. The following reactions take place as a result:

$$2NaNO_2 + Cl_2 = NaNO_3 + NOCl + NaCl$$

$$NaNO_2 + Cl_2 = NO_2Cl + NaCl$$

$$Cl_2 + H_2O = HCl + HClO$$

$$HCl + NaNO_2 = NaCl + HNO_2$$

$$4NaNO_2 + 4HClO = 4NaCl + 2H_2O + 2O + 4NO_2$$

$$2SO_2 + Cl_2 = 2SO_2Cl$$

$$H_2SO_4 + HClO + HCl = H_2SO_5Cl_2$$

Using NaNO₂ and SO₂ by way of example, it follows from the reactions presented that interaction between the Cl₂ - HClO oxidant and donor-acceptor reducing agents gives rise to formation of many products, i.e. NaNO3, NOCl, NO2Cl, HNO2, SO2Cl, O2, H2SO5Cl2, etc., each of them can serve an independent oxidant for nonferrous, rare and precious metals.

Meanwhile, the oxidation potentials developed by the compounds during reduction to lower valency states, fall within a wide range relative to normal hydrogen electrode. Actually all the substances feature complexing properties and form compounds with nonferrous, rare and precious metals, required for the process. The presence of various compounds featuring diverse electrochemical and complexing properties during oxidation of nonferrous, rare and precious

metals permits increasing thermodynamic probability of the metals oxidation and their transfer to solution.

Compounds of higher oxidation state, e.g. chlorates, perchlorates, persulfates, perbromates, other oxygen-containing oxidants and their derivatives have great bound chemical energy, but chemical energy cannot be used for oxidation of nonferrous, rare and precious metals owing to stability of chlorates and perchlorates as compounds and their low chemical activity.

In the invention proposed oxidants featuring the highest valency of acid residue atom, for instance, chlorates, perchlorates, persulfates, perbromates, other oxygen-containing oxidants and their derivatives are used as oxidants in the presence of donor-acceptor reducing agents. As a result, the donor-acceptor reducing agents give rise to the formation of radical, i.e. oxygen superoxide, atomic oxygen and other highly reactive compounds, including the reducing agents oxidation products, which permits effective oxidation and dissolution of nonferrous, rare and precious metals contained in the minerals, i.e.:

 $2NaClO_4 + SO_2 = Na_2SO_4 + 2 ClO_2$ $NaNO_2 + HCl = HNO_2 + NaCl$ $2HNO_2 = H_2O + NO_2 + NO$ $NaClO_4 + NO = NaNO_3 + ClO_2$ $2HClO_3 + NaNO_2 = NaNO_3 + 2ClO_2 + H_2O$ $Na_2S_2O_8 + 2NO = 2NO_2 + Na_2SO_4 + SO_2$ $ClO_2 + 3NO_2 = N_2O_5 + ClNO_3$

It becomes obvious from the reasoning above that the proposed method for recovery of precious metals differs from the known ones, as robust minerals are treated with oxygen-containing oxidants in the presence of reducing agents featuring donor-acceptor properties. Thus, the proposed method complies with the "novelty" criterion.

Comparison of the approach proposed with the prior art and other approaches in this field of engineering permitted revealing the signs, making the proposed approach different from the prior art, moreover, the differences considered are implicit, which suggests conclusion about compliance of the approach proposed with the "invention level" criterion. The approach proposed has industrial applications.

Examples of specific applications for the process proposed:

Example No. 1.

Hydrometallurgical oxidation was realized using ore featuring the following mineral composition:

a) non-metallic minerals

siderite – 18.2%, calcite – 1.0%, quartz – 8.3%, kaolin – 4.5 %,

chlorite -1.8%, albite -1.0%, hydromica -1.0%, apatite -0.3%;

b) ore mineral

goethite, limonite - 61.5%, pyrite - 1.2%, chalcopyrite - 0.85%,

bornite 0.2%, covellite 0.1%.

The ore contained gold 7.4 g/ton ore, platinum 56 g/ton ore, palladium 12 g/ton ore, and silver 150 g/ton ore, as well as copper 0.7% and cobalt 0.2%.

The ore, its amount 1 kg, was subjected to hydrometallurgical oxidation in hydrochloric acid solution, its concentration 100 g per liter, in liquid-to-solid ratio (L:S) = 3:1, at a temperature of $80^{\circ}C$ with intense agitation.

Ammonium persulfate (NH₄)₂S₂O₈ was used as oxidant in the amount providing concentration of 10 g per liter, which was introduced into the slurry immediately after heating to assigned temperature. Check sample was agitated in parallel with the basic one without addition of donor-acceptor reducing agents.

Solution containing 10 g/l of sodium nitrite NaNO₂ and 10 g/l of sodium sulfite Na₂SO₃ was introduced gradually into the basic sample. The feed rate depended

on gas evolution intensity. Altogether 100 ml of solution containing donor-acceptor reducing agents was consumed in 30 minutes. Hence, 1 gram of NaNO₂ and 1 gram Na₂SO₃ was consumed per total amount of the oxidant equal to 30 grams.

The solutions prepared and solid residue were analyzed by atomicabsorption and assay analyses for ascertaining the extraction of nonferrous and precious metals into solution.

In the check sample (without addition of donor-acceptor reducing agents) the extraction into solution made up:

Copper – 73%, cobalt 68%, silver 57%, gold 64%, platinum 31%, palladium 47% of their content in the sample.

In the sample with donor-acceptor reducing agents metal extraction into solution amounted to:

Copper – 98.5%, cobalt 97%, silver 94%, gold 98.3%, platinum 94%, palladium 97%.

The results suggest that the use of donor-acceptor reducing agents increases essentially the extraction of nonferrous and precious metals from robust minerals.

Example No. 2.

Hydrometallurgical oxidation was realized using ore featuring the following mineral composition:

a) non-metallic minerals

siderite -12.2%, calcite -7.0%, quartz -37.8%, kaolin -3.7%, chlorite -2.8%, albite -2.0%, hydromica -12.0%, apatite -0.7%, carbonaceous matter 4.5%:

b) ore minerals

goethite, limonite -11.5%, pyrite -3.2%, pyrrhotine -2.5%, arsenopyrite -0.1%.

The ore contained gold 3.4 g/ton ore, platinum 2.6 g/ton ore, palladium 3.2 g/ton ore, and silver 5 g/ton ore.

The ore, its amount 1 kg, was subjected to hydrometallurgical oxidation in hydrochloric acid solution, its concentration 10 g per liter, at L:S = 3:1, at a temperature of 40° C with intense agitation.

Sodium hypochlorite NaClO was used as oxidant in the amount providing the concentration of 5 g/l, which was introduced into the slurry immediately after heating up to the assigned temperature. The check sample was agitated in parallel with the basic one without addition of donor-acceptor reducing agents.

Solution containing 10 g/l of sodium nitrite NaNO₂ was introduced gradually into the basic sample. The feed rate depended on gas evolution intensity. Altogether 200 ml of solution containing donor-acceptor reducing agent was consumed in 30 minutes. Hence, 2 grams of NaNO₂ was consumed per total amount of the oxidant equal to 15 grams.

The solutions prepared and solid residue were analyzed by atomicabsorption and assay analyses for ascertaining the extraction of nonferrous and precious metals into solution.

In the check sample (without addition of donor-acceptor reducing agent) the extraction into solution made up: silver 37%, gold 52%, platinum 21%, palladium 37% of their content in the sample.

In the sample with donor-acceptor reducing agents metal extraction into solution amounted to:

silver 87%, gold 92.3%, platinum 74%, palladium 87%.

The results suggest that the use of donor-acceptor reducing agents increases essentially the extraction of nonferrous and precious metals from robust minerals.

Example No. 3.

Hydrometallurgical oxidation was performed using gravity concentrate featuring the following chemical composition:

 $SiO_2 - 23\%$, $Al_2O_3 - 5.6\%$, Fe (total) - 28%, S (total) - 36%, crystallization water - 1.34%, CaO - 1.12%, MgO - 0.8%.

The concentrate contained gold 378 g/ton ore, platinum 47 g/ton ore, palladium 126 g/ton ore, and silver 2480 g/ton ore, as well as 3.8% of nickel and 2.4% of cobalt.

The concentrate in the amount of 1 kg was subjected to hydrometallurgical oxidation in hydrochloric acid solution, its concentration 70 g per liter, at L:S = 2:1, at a temperature of 70° C under intensive agitation.

Ammonium perchlorate (NH)₂Cl₂O₇ was used as oxidant in the amount providing concentration of 10 g per liter, and sodium iodate NaJO₃ in the amount providing concentration of 5 g per liter, were introduced into the slurry immediately after heating to assigned temperature. The check sample was agitated in parallel with the basic one without addition of donor-acceptor reducing agents.

Solution containing 10 g/l of sodium sulfite Na₂SO₃ and 5 g/l sodium thiosulfate Na₂S₂O₃ was gradually introduced in the basic sample. The feed rate depended on gas evolution intensity. In total 300 ml of solution containing donor-acceptor reducing agents was consumed in 45 minutes. So, 3 grams of Na₂SO₃ and 1.5 grams of Na₂SO₃ were consumed per total amount of oxidants equal to 45 grams.

The solutions prepared and solid residue were analyzed by atomicabsorption and assay analyses for ascertaining the extraction of nonferrous and precious metals into solution.

In the check sample (without addition of donor-acceptor reducing agents) the extraction into solution made up:

nickel -63%, cobalt -57%, silver -48%, gold -63%, platinum -42%, palladium -54% of their content in the sample.

In the sample with donor-acceptor reducing agents metal extraction into solution amounted to:

nickel – 98.5%, cobalt – 95%, silver – 89%, gold – 94%, platinum – 89%, palladium – 92%.

The results suggest that the use of donor-acceptor reducing agents increases essentially the extraction of nonferrous and precious metals from robust minerals.

CLAIM

METHOD FOR RECOVERY OF NONFERROUS, RARE AND PRECIOUS METALS FROM ROBUST MINERALS

The method for recovery of nonferrous, rare and precious metals from robust minerals envisages the processing of robust carbon-containing minerals by oxygen-containing oxidant with subsequent extraction of precious metal compounds from liquid phase, moreover, the treatment of robust carbon-containing minerals by oxygen-containing oxidant is performed in the presence of reducing agents featuring donor-acceptor properties, which are manifested in the fact that at the first stage of chemical reactions the reducing agents give their electrons to oxygen-containing oxidant and, as a result, form a stronger oxidant than the initial one, in the from of short-lived radicals and intermediate oxidation products of donor-acceptor reducing agents, which are oxidants, as well.

ABSTRACT

METHOD FOR RECOVERY OF NONFERROUS, RARE AND PRECIOUS METALS FROM ROBUST MINERALS

The method is referred to hydrometallurgy process and it serves for recovery of nonferrous, rare and precious metals from robust (hard to process) minerals, which may contain natural carbon or other robust compounds.

This invention is aimed at increasing the recovery of nonferrous, rare and precious metals from robust minerals with simultaneous reduction of processing costs.

The objective is attained, as the method for recovery of nonferrous, rare and precious metals from robust minerals envisages the processing of robust carbon-containing minerals by oxygen-containing oxidant with subsequent extraction of precious metal compounds from liquid phase, moreover, the treatment of robust carbon-containing minerals by oxygen-containing oxidant is performed in the presence of reducing agents featuring donor-acceptor properties, which are manifested in the fact that at the first stage of chemical reactions the reducing agents give their electrons to oxygen-containing oxidant and, as a result, form a stronger oxidant than the initial one, in the from of short-lived radicals and intermediate oxidation products of donor-acceptor reducing agents, which are oxidants, as well.